

HOME PERFORMANCE WITH ENERGY STAR® 2013 INCENTIVES

Step 1: Have a "whole house" energy efficiency audit on your home.				
	Qualifying Criteria		Customer Incentive	
Home Energy Efficiency Audit	A "whole-house" home energy efficiency audit conducted by a Home Performance with ENERGY STAR contractor.		\$100 discount off contractor price	
Step 2: Meet the minimum requirements.				
Energy Efficiency Home Improvement	Qualifying Criteria		Customer Incentive	
Minimum Overall Requirement	Air leakage reduction \geq 10% as measured by a pre- and post- blower door test.		\$250	
	Install all recommended health and safety improvements including mechanical ventilation, CO detectors, or other essential health and safety improvements.			
Step 3: Complete any relevant additional energy improvements.				
Air Sealing	Reduce air leakage as measured by a pre- and post- blower door test.		20–35% reduction	
			\geq 35% reduction	
		\$250	\$500	
Insulation	Install insulation meeting the following R-value criteria:			Customer Incentive
	Location	Existing Insulation	New Insulation*	\$0.50 per sq. ft of additional insulation
	Attic Flat	R-value \leq R-16	R-value \geq R-49	
	Foundation/ rim-joists	R-value \leq R-6	R-value \geq R-15	
	All other locations	R-value \leq R-6	R-value \geq R-12	
R-values $>$ 6 and \leq R-8		R-value \geq R-18		
	R-values $>$ 8 and \leq R-16	R-value \geq R-49		
Heat Distribution Improvement	Install at least \$200 of duct ceiling, leak repair, boiler pipe insulation, or other heat distribution improvements.		\$75	
Heat System Replacement	Replace existing heating system with an efficient new system. See your contractor for details on qualifying criteria.		\$500	
Step 4: Add the bonus incentive. Bonus incentives are for truly comprehensive ("whole house") projects that substantially improve the air tightness and insulation levels of the home.				
Energy Efficiency Home Improvement	Qualifying Criteria		Customer Incentive	
Comprehensive Retrofit Bonus Package	Reduce air leakage \geq 35% as measured by a pre- and post- blower door test.		\$250	
	Install insulation in areas equivalent to at least 75% of the home's finished floor area (example: a 2,000 sq. ft home could qualify by installing 1,000 sq. ft of insulation in the attic and 500 sq. ft of insulation in the walls). Insulation must meet the above criteria for pre- and post- effective R-value.			
Step 5: Calculate your total incentive based on the completed energy efficiency home improvements.				
Maximum total incentive per project			\$2,100	

* Energy code must be followed for all installations.



www.efficiencyvermont.com • 888-921-5990